

Object-Oriented Programming


Objects and Classes

Contents

- Classes vs. Objects
- Designing a Class
- Methods and Instance Variables
- Encapsulation and Information Hiding

Important OO Concepts

- Object & Class
 - Object state and behavior
 - Object identity
 - Messages
- Encapsulation
 - Information hiding
- Inheritance
- Polymorphism
- Abstraction



Java Program

```
public class Greeting {  
    public void greet() {  
        System.out.print("Hi there!");  
    }  
}
```


```
public class TestGreeting {  
    public static void main(String[] args) {  
        Greeting gr = new Greeting();  
        gr.greet();  
    }  
}
```

- A Java program, **when we write it**, is a collection of classes
- A Java program, **when we run it**, is a collection of objects. They do things (their methods) and ask other objects to do things (calling methods of others)
- A Java library contains predefined classes that we can use in our programs

Objects

- Object is a “thing” that includes both *data (properties/attributes)* and *functions (methods/behaviors)*. In OOP, *objects* can either do something or have something done to them

Jenny



I can moo

Ben



I am going for a walk

Objects

- Objects in OOP have 3 essential features:
 - State: what objects have
 - Behavior: what objects do in response to messages
 - Identity: what makes objects unique

Object State

- Defined by the **attributes** of the object and by the **values** of these attributes
- Changes over time
 - “Name” attribute does not change over time
 - “Age” attribute changes over time




Dave
Age: 32
Height: 1m80



Peter
Age: 35
Height: 1m75

Object Behavior

- Behavior is **what the object do** in responding to a message




Object Identity

- Identity is what to make the object **unique**
 - Defined by object address or object ID
- Used to distinguish between objects



Classes

- A class is a **blueprint/template** that is used to construct objects



Classes vs. Objects

- Each object has the same **structure** and **behavior** as the class from which it was created



Dave
Age: 32
Height: 1m80



Person

Data

- name
- age
- height


Methods

- exercise()


Classes vs. Objects

- Each object is **instantiated** from a class. That object is called an **instance** of the class


Class Person



Object 1



Object 2



Classes vs. Objects


- In programming, relation between “Class and Object” is similar to relation between “**Data Type and Variable**”

```
class Dog {  
  
    int size;  
    String breed;  
    String name;  
  
    void bark() {  
        System.out.println("Ruff!");  
    }  
}
```

```
class Person {  
    String name;  
    Date birthday;  
    String address;  
  
    Dog petDog;  
}
```

Designing a Class

- When you design a class, think about the objects that will be created from that class
 - things the object **knows** about itself
 - actions the object **does**



Designing a Class

- Things the object knows about itself

→ **instance variables**

→ represent object *state*

**instance
variables**
(state)

methods
(behavior)



knows

does


- Actions the object does

→ **methods**

→ represent object *behavior*

Writing a Class

1. Write the class



Writing a Class

2. Write a tester class

*dot notation
(.) gives
access to
instance
variables and
methods of
the object*

```
public class DogTestDrive {  
    public static void main(String [] args) {  
        Dog d = new Dog();  
        d.name = "Bruno";  
        d.bark();  
    }  
}
```

make a Dog object

set the name of the Dog

call its bark() method

Writing a Class

- Instance variables/methods belong to an object. Thus, when accessing them, you **MUST** specify **which object** they belong to

*dot notation
(.) and the
object
reference*

```
public class DogTestDrive {  
    public static void main(String [] args) {  
        Dog d = new Dog();  
        d.name = "Bruno";  
        d.bark();  
    }  
}
```

access 'name' of the Dog

call its bark() method

Object Reference

¹
Dog myDog ³ = ² new Dog ();

- 3 steps to declare, create & assign an object:

1. Declare a reference variable


Dog myDog = new Dog();

2. Create an object

Dog myDog = **new Dog**();


3. Link the object and the reference

Dog myDog = new Dog();



Object Reference

```
Dog myDog = new Dog();
```



Note: **Reference** is not object!

Messaging between Objects

- Sending a message to an object is actually **calling a method of the object**

d.bark()

- Syntax:


`<object_reference>.<method_name>(<arguments>)`

recipient

message content

extra information

Methods – How objects behave



- Objects have
 - state (instance variables)
 - behavior (methods)
- A method can use/change value of instance variables
→ state of the object can be changed

State affects behavior and vice versa

```
class Dog {
```

```
    int size;  
    String breed;  
    String name;
```

*State affects behavior:
Dogs of different sizes
behave differently*

```
    void bark() {  
        if (size > 14)  
            System.out.println("Ruff! Ruff!");  
        else  
            System.out.println("Yip! Yip!");  
    }
```

```
    void getBigger() {  
        size += 5;  
    }
```

method changes state

```
}
```


DOG
size
breed
name
bark()
getBigger()

State affects behavior and vice versa

```
class DogTestDrive {  
  
    public static void main (String[] args) {  
  
        Dog one = new Dog();  
        one.size = 7;  
        Dog two = new Dog();  
        two.size = 13;  
  
        two.bark();  
        two.getBigger();  
        two.bark () ;  
  
        one.bark();  
    }  
}
```


State affects behavior and vice versa


```
class DogTestDrive {  
  
    public static void main (String[] args) {  
  
        Dog one = new Dog();  
        one.size = 7;  
        Dog two = new Dog();  
        two.size = 13;  
  
        two.bark();  
        two.getBigger();  
        two.bark ();  
  
        one.bark();  
    }  
}
```



```
%> java DogTestDrive
```

State affects behavior and vice versa


```
class DogTestDrive {  
  
    public static void main (String[] args) {  
  
        Dog one = new Dog();  
        one.size = 7;  
        Dog two = new Dog();  
        two.size = 13;  
  
        two.bark();  
        two.getBigger();  
        two.bark () ;  
  
        one.bark();  
    }  
}
```



```
%> java DogTestDrive
```

State affects behavior and vice versa


```
class DogTestDrive {  
  
    public static void main (String[] args) {  
  
        Dog one = new Dog();  
        one.size = 7;  
        Dog two = new Dog();  
        two.size = 13;  
  
        two.bark();  
        two.getBigger();  
        two.bark ();  
  
        one.bark();  
    }  
}
```



```
%> java DogTestDrive
```

State affects behavior and vice versa


```
class DogTestDrive {  
  
    public static void main (String[] args) {  
  
        Dog one = new Dog();  
        one.size = 7;  
        Dog two = new Dog();  
        two.size = 13;  
  
        two.bark();  
        two.getBigger();  
        two.bark ();  
  
        one.bark();  
    }  
}
```



```
%> java DogTestDrive  
Yip! Yip!
```

State affects behavior and vice versa


```
class DogTestDrive {  
  
    public static void main (String[] args) {  
  
        Dog one = new Dog();  
        one.size = 7;  
        Dog two = new Dog();  
        two.size = 13;  
  
        two.bark();  
        two.getBigger();  
        two.bark ();  
  
        one.bark();  
    }  
}
```



```
%> java DogTestDrive  
Yip! Yip!
```

State affects behavior and vice versa


```
class DogTestDrive {  
  
    public static void main (String[] args) {  
  
        Dog one = new Dog();  
        one.size = 7;  
        Dog two = new Dog();  
        two.size = 13;  
  
        two.bark();  
        two.getBigger();  
        two.bark ();  
  
        one.bark();  
    }  
}
```



```
%> java DogTestDrive  
Yip! Yip!  
Ruff! Ruff!
```

State affects behavior and vice versa

```
class DogTestDrive {  
  
    public static void main (String[] args) {  
  
        Dog one = new Dog();  
        one.size = 7;  
        Dog two = new Dog();  
        two.size = 13;  
  
        two.bark();  
        two.getBigger();  
        two.bark ();  
  
        one.bark();  
    }  
}
```



```
%> java DogTestDrive  
Yip! Yip!  
Ruff! Ruff!  
Yip! Yip!  
%>
```

Instance Variables vs. Local Variables

Instance variables

- belong to an **object**
- declared inside a class but NOT within a method
- have default values (0, 0.0, false, null, etc.)

```
class Dog {  
    int size;  
    String name;  
    ...  
    void getBigger() {  
        size += 5;  
    }  
}
```

Local variables

- belong to an **method**
- declared within a method
- MUST be initialized before use

```
public class DogTestDrive {  
    public static void main(String  
        [] args) {  
        Dog d= new Dog();  
        d.name = "Bruno";  
        ...  
        int size = d.size;  
    }  
}
```


Encapsulation

- Group related things together
 - Functions encapsulate instructions
 - Objects encapsulate data and functions

❑ Bad

```
class Person {
  String name;
  Date birthday;
  String address;

  // about his/her dog
  String dogName;
  String dogBreed;
  int dogSize;
}
```

❑ Better


```
class Dog {
  int size;
  String breed;
  String name;
  ...
}
```

```
class Person {
  String name;
  Date birthday;
  String address;

  Dog petDog;
}
```

Information hiding

- Encapsulate to **hide internal implementation details** from outsiders:
 - Outsiders see only interfaces
 - Programmers implement details of the system



Information hiding

- What's wrong with this code?
 - It allows for a supernatural dog
 - no verification of size
 - Object's data is exposed
 - size is accessed directly from outsider

```
class Dog {  
    int size;  
    String breed;  
    String name;  
    ...  
}  
Dog d = new Dog();  
d.size = -1;
```

- Exposed instance variables can lead to invalid states of object
- What to do about it?
 - Write set methods (*setters*) for instance variables
 - Force other codes to use the set methods instead of accessing them directly

Information hiding: Rule of thumb

- Mark instance variables **private**
- Make getters and setters and mark them **public**

- Don't forget to check data **validity** in setters

```
class Dog {  
    private int size;  
  
    public void setSize(int s) {  
        if (s > 0) size = s;  
    }  
  
    public int getSize() {  
        return size;  
    }  
    ...  
}
```

Example of Encapsulation

```
public class Person {  
    private String name;  
    private int age;  
  
    public int getAge() {  
        return age;  
    }  
    public String getName() {  
        return name;  
    }  
  
    public void setAge( int newAge) {  
        age = newAge;  
    }  
    public void setName(String newName) {  
        name = newName;  
    }  
}
```

mark instance variables private

make getters and mark them public

make setters and mark them public

Example of Encapsulation

```
public class PersonTest {  
    public static void main(String args[]) {  
        Person p = new Person();  
  
        p.setName("James");  
        p.setAge(20);  
  
        System.out.println("Name: " + p.getName());  
        System.out.println("Age: " + p.getAge());  
    }  
}
```

Set attribute values from outsider

Retrieve attribute values from outsider

Class Access Control

Access modifiers:

- **public**: accessible anywhere by anyone
- **private**: only accessible within the current class
- **protected**: accessible only to the class itself and to its subclasses or other classes in the same package
- **default** (no keyword): accessible within the current package

Implementation vs. Interface

- DogTestDrive: a “client” of Dog class
- **Implementation**
 - Data structures and code that implement object features
 - Usually have complex inner workings
 - Clients don’t need to know
- **Interface**
 - The controls exposed to the “client”
- “Don’t expose **internal data structure** to end users or client modules”

