

Web Application Development

Bootstrap

Outline

- Concepts of Bootstrap
- Installing Bootstrap
- Using Bootstrap
- Developing Websites with Bootstrap

Introduction

- Bootstrap is a **front-end framework** for fast and easy web development
- Bootstrap is currently the most popular HTML/CSS/JavaScript framework for developing responsive websites
- Bootstrap is compatible with all modern web browsers such as Chrome, Firefox, Safari, Internet Explorer, and Opera

Installing Bootstrap

- Bootstrap can be installed using off-line method or on-line method
- In off-line method, bootstrap is **downloaded from getbootstrap.com** and is added to the HTML `<link>` and `<script>` tags:

```
<head>
```

```
  <link rel="stylesheet" href="bootstrap.min.css">
```

```
  <script src="jquery-3.1.0.min.js"></script>
```

```
  <script src="bootstrap.min.js"></script>
```

```
</head>
```

- In on-line method, bootstrap is included from a **Content Delivery Network (CDN)**

Installing Bootstrap

- Example of bootstrap provided by MaxCDN:

```
<head>
```

```
<link rel="stylesheet"
```

```
href="http://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/  
css/bootstrap.min.css">
```

```
</link>
```

```
<script src="http://maxcdn.bootstrapcdn.com/bootstrap/  
3.3.7/js/bootstrap.min.js">
```

```
</script>
```

```
</head>
```

Using Bootstrap

- Bootstrap is used on top of HTML/CSS/JavaScript/jQuery
- Bootstrap functions and styling are called by declaring the appropriate “**Bootstrap class**” to the HTML element. The syntax is similar to CSS syntax

```
<div class="container">  
  <h1>My First Bootstrap Page</h1>  
  <p>Some text here</p>  
</div>
```

Using Bootstrap

```
<div class="jumbotron text-center">  
  <h1>  
    My First Bootstrap Page  
  </h1>  
  <p>  
    My First Bootstrap Page  
  </p>  
</div>
```

```
<div class="container">  
  <div class="row">  
    <div class="col-sm-4">  
      <h3>Column 1</h3>  
      <p>Some text here</p>  
    </div>  
    <div class="col-sm-4">  
      <h3>Column 2</h3>  
      <p>Some text here</p>  
    </div>  
    <div class="col-sm-4">  
      <h3>Column 3</h3>  
      <p>Some text here</p>  
    </div>  
  </div>  
</div>
```

Using Bootstrap

My First Bootstrap Page

Welcome to my website

Column 1

Some text here

Column 2

Some text here

Column 3

Some text here

Developing Websites with Bootstrap

- Step 1: identify type of website and understand required functions of the website
- Step 2: **choose and download** a bootstrap theme from existing repositories. For example:
 - <https://startbootstrap.com>
 - <https://www.bootstrapzero.com>
- Step 3: **customize downloaded bootstrap theme** to meet the required functions of the website

Demonstrating Example

- **Topic:** design and develop a personal website for freelancer
- **Step 1:** type of website: personal blog
 - Core information:
 - Personal information
 - Working experiences
 - Skills
 - Languages

Demonstrating Example

- **Step 2:** choose and download bootstrap theme from <https://startbootstrap.com>
- Example of a downloaded theme link:
<https://blackrockdigital.github.io/startbootstrap-freelancer/>

Demonstrating Example

START BOOTSTRAP

PORTFOLIO ABOUT CONTACT



START BOOTSTRAP




Web Developer - Graphic Artist - User Experience Designer

Example of a downloaded bootstrap theme

Demonstrating Example

- **Step 3:** customize downloaded theme using HTML/CSS/JavaScript/jQuery/Bootstrap
- Examples of customizable parts:
 - Modify navigation bar
 - Modify the header
 - Modify the body sections
 - Modify the footer
 - etc.

Demonstrating Example



Example of customized navigation bar and header

Demonstrating Example

- Examples of customized navigation bar:

- From “START BOOTSTRAP” to “HELEN COOPER”

```
<!-- Navigation -->
```

```
<nav id="mainNav" class="navbar navbar-default navbar-fixed-top  
navbar-custom">
```

```
<div class="container">
```

```
<!-- Brand and toggle get grouped for better mobile display -->
```

```
<div class="navbar-header page-scroll">
```

```
<button type="button" class="navbar-toggle" data-  
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
```

```
<span class="sr-only">Toggle navigation</span> Menu <i  
class="fa fa-bars"></i>
```

```
</button>
```

```
<a class="navbar-brand" href="#page-top">Helen Cooper</
```

```
a>
```

```
</div>
```

Demonstrating Example

- Examples of customized header:
 - **The change of profile image and job information**

```
<!-- Header -->
```

```
<header>
```

```
<div class="container">
```

```
<div class="row">
```

```
<div class="col-lg-12">
```

```

```

```
<div class="intro-text">
```

```
<h1>Helen Cooper</h1>
```

```
<hr class="star-light">
```

```
<span class="skills">Web Developer and Web  
Designer</span>
```

